

**To:** JAMES D WALKER[jameswalker5@msn.com]  
**Cc:** Rao, Kate[Rao.kate@epa.gov];  
Shari.Ring@cadmusgroup.com[Shari.Ring@cadmusgroup.com]  
**From:** Rumrill, Nancy  
**Sent:** Wed 9/27/2017 10:01:30 PM  
**Subject:** RE: Revisions to Gunnison Draft Permit

Thanks, Jim. I'll let you know if I have any questions. Nancy



*Nancy Rumrill (rumrill.nancy@epa.gov)*

*Drinking Water Protection Section (WTR-3-2)*

*US EPA, Region IX*

*75 Hawthorne St.*

*San Francisco, CA 94105*

*Phone (415) 972-3293*

**From:** JAMES D WALKER [mailto:jameswalker5@msn.com]  
**Sent:** Wednesday, September 27, 2017 1:17 PM  
**To:** Rumrill, Nancy <Rumrill.Nancy@epa.gov>  
**Cc:** Rao, Kate <Rao.kate@epa.gov>; Shari.Ring@cadmusgroup.com  
**Subject:** Revisions to Gunnison Draft Permit

Hi Nancy,

The revisions and additions to the permit language we discussed on Tuesday are incorporated in the updated redline version attached to this email. There are a few changes that we did not

discuss yesterday, but I believe are appropriate for consistency and clarification.

If you have any questions or comments, please let me know.

Thanks,

Jim